



HUE




Ink for Inspiration



HUE CATALOGUE

LOREM IPSUM DOLOR SIT AMET, CONSECTETUER
ADIPISCING ELIT, SED DIAM NONUMMY NIBH EUISMOD
TINCIDUNT UT LAOREET DOLORE MAGNA ALIQUAM



The image features a decorative header at the top with four colored rectangular bars: cyan, magenta, yellow, and black. The background is a light gray with a faint, stylized globe or map of the world. The text is centered in the middle of the page.

Vinyl printing ink is a top-quality ink specifically formulated for rotogravure printing on flexible substrates. This ink system is recognized for its outstanding adhesion, durability, and capacity to produce bright, sharp images. The binder contributes to the ink's impressive mechanical properties, including flexibility, wear resistance, and elasticity, making it perfect for high-speed printing applications.



HUE LAMIMAX CYAN

PARAMETER	RESULT
Solid Content (%)	21.00 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	24 ± 5
L.F. (1-8 Scale)	7

HUE LAMIMAX MAGENTA

PARAMETER	RESULT
Solid Content (%)	21.00 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	40 ± 5
L.F. (1-8 Scale)	7



HUE LAMIMAX YELLOW

PARAMETER	RESULT
Solid Content (%)	20.10 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	36 ± 5
L.F. (1-8 Scale)	4

HUE LAMIMAX BLACK

PARAMETER	RESULT
Solid Content (%)	21.50 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	22 ± 5
L.F. (1-8 Scale)	7



HUE LAMIMAX WHITE

PARAMETER	RESULT
Solid Content (%)	21.00 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	24 ± 5
L.F. (1-8 Scale)	7



HUE LAMIMAX MEDIUM

PARAMETER	RESULT
Solid Content (%)	21.00 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	40 ± 5
L.F. (1-8 Scale)	4



HUE LAMIMAX WARM RED

HUE LAMIMAX BASIC GREEN

PARAMETER	RESULT
Solid Content (%)	21.50 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	25 ± 5
L.F. (1-8 Scale)	4

PARAMETER	RESULT
Solid Content (%)	21.50 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	25± 5
L.F. (1-8 Scale)	7



HUE LAMIMAX VIOLET

PARAMETER	RESULT
Solid Content (%)	20.00 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	25± 5
L.F. (1-8 Scale)	4



HUE LAMIMAX ORANGE

PARAMETER	RESULT
Solid Content (%)	21.50 ± 2
Viscosity (Sec) @ 30°C (By B4 Ford Cup)	30± 5
L.F. (1-8 Scale)	6



Thank You

